

Quasinormal modes of black holes in nonlinear electrodynamics

Kimihiro Nomura


(PhD Student; Kobe Univ., Japan)

KN, Daisuke Yoshida, Jiro Soda, Phys.Rev.D 101 (2020) 124026, [2004.07560]

KN, Daisuke Yoshida, Phys.Rev.D 105 (2022) 044006, [2111.06273]

**Workshop on the Standard Model and Beyond in
22nd Hellenic School and Workshops on Elementary Particle Physics and Gravity,
Sep. 7, 2022, @Mon Repos, Corfu, Greece**

Gravitational Waves from Black Holes




Gravitational Waves from Black Holes

Ringdown phase is described by the perturbation of a single BH

- Superposition of **Quasi-Normal Modes (QNM)**

$$\sum_{l,m,n} (\text{Amplitude})_{lmn} e^{i\omega_{lmn}(t-r)}$$

- Based on GR, ω 's are determined by a few parameters of the BH (mass, charge, spin): “Normal Modes” of BH spacetime
 - ▶ Important observables for estimating parameters of the BH
 - ▶ If once a deviation from the predictions is detected, there may be “new effects.”



Motivation

If there are “new effects,” how much are QNMs altered by them?

- Effective field theoretical approach is useful.

Earlier works [Cardoso, Kimura, Maselli, Senatore (2018)][de Rham, Francfort, Zhang (2020)]

- “Einstein gravity” + “new effects in gravity”
 └─ higher-order of spacetime curvature

$$\mathcal{L} = \frac{R}{16\pi G} + c_1 R_{\mu\nu}{}^{\alpha\beta} R_{\alpha\beta}{}^{\gamma\sigma} R_{\gamma\sigma}{}^{\mu\nu} + (R_{\mu\nu\rho\sigma}\text{-quartic}) + \dots$$

- QNMs of Schwarzschild BH are investigated.

Our work


- BHs can have a charge. What about QNMs of charged BHs?

Charged BHs and Nonlinear Electrodynamics

- Conventionally, BH solutions are constructed based on “**GR + Maxwell electrodynamics**,” and then, QNMs are calculated.

$$\mathcal{L} = \frac{R}{16\pi G} - \frac{1}{4} F^{\mu\nu} F_{\mu\nu}$$

- However, **some effects beyond the above “standard framework” can actually appear**, for example, from quantum electrodynamics.



$$\mathcal{L} = -\frac{1}{4} F_{\mu\nu} F^{\mu\nu} + \bar{\psi}(i\not{\partial} - m_e)\psi + e\bar{\psi}\gamma^\mu A_\mu\psi$$

↓ Low energy

$$\mathcal{L} = -\frac{1}{4} F_{\mu\nu} F^{\mu\nu} + \frac{2\alpha^2}{45m_e^4} (4\mathcal{F}^2 + 7\mathcal{G}^2)$$

[Heisenberg, Euler (1936)]

$$\mathcal{F} := \frac{1}{4} F_{\mu\nu} F^{\mu\nu}$$

$$\mathcal{G} := \frac{1}{8} \epsilon_{\mu\nu\rho\sigma} F^{\mu\nu} F^{\rho\sigma}$$

Charged BHs and Nonlinear Electrodynamics

- More generally, the effects beyond Maxwell electrodynamics can be summarized in a framework of **nonlinear electrodynamics**.

$$\mathcal{L} = \frac{R}{16\pi G} - \mathcal{F} + \alpha \mathcal{F}^2 + \beta \mathcal{G}^2$$

parameters with dim.-4

$$\mathcal{F} := \frac{1}{4} F_{\mu\nu} F^{\mu\nu}$$

$$\mathcal{G} := \frac{1}{8} \epsilon_{\mu\nu\rho\sigma} F^{\mu\nu} F^{\rho\sigma}$$

- For charged BHs, the effects of nonlinear electrodynamics, $\alpha \mathcal{F}^2 + \beta \mathcal{G}^2$, can appear in QNMs.

Purpose of our work

- Calculate QNMs of charged BHs in **nonlinear electrodynamics**.

Contents

✓ 1. Introduction

- Quasinormal modes of black holes
- Nonlinear electrodynamics

2. Black holes in nonlinear electrodynamics

- Black hole solutions
- Perturbations of black holes

3. Quasinormal modes of black holes in nonlinear electrodynamics

- Definition
- Calculation results

4. Summary

Black Hole Solutions

- GR + nonlinear electrodynamics

$$\mathcal{L} = \frac{R}{16\pi G} - \mathcal{F} + \alpha \mathcal{F}^2 + \beta \mathcal{G}^2$$

parameters with dim.-4

$$\mathcal{F} := \frac{1}{4} F_{\mu\nu} F^{\mu\nu}$$

$$\mathcal{G} := \frac{1}{8} \epsilon_{\mu\nu\rho\sigma} F^{\mu\nu} F^{\rho\sigma}$$

- Spherically sym. BH with a magnetic charge

- Spherically sym. magnetic field: $F = q \sin \theta d\theta \wedge d\phi$

└ charge of the BH

- Metric: $ds^2 = -f(r)dt^2 + \frac{1}{f(r)}dr^2 + r^2(d\theta^2 + \sin^2 \theta d\phi^2)$

mass of the BH └

$$\text{with } f(r) = 1 - \frac{2GM}{r} + \frac{Q^2}{r^2} - \frac{\bar{\alpha} Q^2 (GM)^4}{10r^6}, \quad Q^2 := 4\pi G q^2$$

- Dimensionless parameters: $\bar{\alpha} := \frac{\alpha q^2}{(GM)^4}, \quad \bar{\beta} := \frac{\beta q^2}{(GM)^4}$

Black Hole Solutions

- GR + nonlinear electrodynamics

$$\mathcal{L} = \frac{R}{16\pi G} - \mathcal{F} + \alpha \mathcal{F}^2 + \beta \mathcal{G}^2$$

parameters with dim.-4

$$\mathcal{F} := \frac{1}{4} F_{\mu\nu} F^{\mu\nu}$$

$$\mathcal{G} := \frac{1}{8} \epsilon_{\mu\nu\rho\sigma} F^{\mu\nu} F^{\rho\sigma}$$

- Spherically sym. BH with a magnetic charge

- Spherically sym. magnetic field: $F = q \sin \theta d\theta \wedge d\phi$

└ charge of the BH

- Metric: $ds^2 = -f(r)dt^2 + \frac{1}{f(r)}dr^2 + r^2(d\theta^2 + \sin^2 \theta d\phi^2)$

$\frac{\alpha \mathcal{F}^2}{\mathcal{F}} \sim \bar{\alpha} \rightarrow$ When $\bar{\alpha}, \bar{\beta} \ll 1$, our “effective” framework is valid.

- Dimensionless parameters: $\bar{\alpha} := \frac{\alpha q^2}{(GM)^4}, \bar{\beta} := \frac{\beta q^2}{(GM)^4}$

Black Hole Solutions

- GR + nonlinear electrodynamics

$$\mathcal{L} = \frac{R}{16\pi G} - \frac{\alpha}{4} F_{\mu\nu} F^{\mu\nu} - \frac{\beta}{8} F_{\mu\nu} F^{\nu\rho} F^{\rho\mu}$$

$$\mathcal{F} := \frac{1}{4} F_{\mu\nu} F^{\mu\nu}$$

BH with an electric charge q is given by the same metric up to linear order of α .

- Spherically sym. BH with a magnetic charge

- Spherically sym. magnetic field: $F = q \sin \theta d\theta \wedge d\phi$

└ charge of the BH

- Metric: $ds^2 = -f(r)dt^2 + \frac{1}{f(r)}dr^2 + r^2(d\theta^2 + \sin^2 \theta d\phi^2)$

$\frac{\alpha \mathcal{F}^2}{\mathcal{F}} \sim \bar{\alpha} \rightarrow$ When $\bar{\alpha}, \bar{\beta} \ll 1$, our “effective” framework is valid.

- Dimensionless parameters: $\bar{\alpha} := \frac{\alpha q^2}{(GM)^4}, \bar{\beta} := \frac{\beta q^2}{(GM)^4}$

Perturbations of BHs

- **Perturbations of the metric/elemag field on BHs propagate as gravitational/elemag waves.**

1. Add perturbations

$$\text{metric: } g_{\mu\nu} = \bar{g}_{\mu\nu} + \delta g_{\mu\nu} \quad \text{elemag field: } F_{\mu\nu} = \bar{F}_{\mu\nu} + \delta F_{\mu\nu}$$

spherically sym. background (bracketed above $\bar{g}_{\mu\nu}$ and $\bar{F}_{\mu\nu}$)
perturbation (bracketed below $\delta g_{\mu\nu}$ and $\delta F_{\mu\nu}$)

2. Expand on tensor spherical harmonics $[Y_{lm}^a]_{\mu\nu}(\theta, \phi)$

$$\delta g_{\mu\nu}(t, r, \theta, \phi) = \sum_a \sum_{l,m} \delta g^a(l, m; t, r) [Y_{lm}^a]_{\mu\nu}(\theta, \phi)$$

$$\delta F_{\mu\nu}(t, r, \theta, \phi) = \sum_a \sum_{l,m} \delta F^a(l, m; t, r) [Y_{lm}^a]_{\mu\nu}(\theta, \phi)$$

3. EoMs of perturbations

$$\left(-\frac{d^2}{dt^2} + \frac{d^2}{dr^{*2}} - fV_{\text{I/II}}(r) \right) \begin{pmatrix} \mathcal{R}_{\text{I/II}}(l, m; t, r) \\ \mathcal{E}_{\text{I/II}}(l, m; t, r) \end{pmatrix} = 0$$

r^* : tortoise coordinate

2x2 matrix

metric perturbation
(in terms of δg^a)

elemag perturbation
(in terms of δF^a)

Perturbations of BHs

- **Perturbations of the metric/elemag field on BHs propagate as gravitational/elemag waves.**

1. Add perturbations

$$\text{metric: } g_{\mu\nu} = \bar{g}_{\mu\nu} + \delta g_{\mu\nu} \quad \text{elemag field: } F_{\mu\nu} = \bar{F}_{\mu\nu} + \delta F_{\mu\nu}$$

spherically sym. background (above $\bar{g}_{\mu\nu}$ and $\bar{F}_{\mu\nu}$)
perturbation (below $\delta g_{\mu\nu}$ and $\delta F_{\mu\nu}$)

2. Expan

- 2-dof for each of metric and elemag perturbations.
└ \mathcal{R}_I & \mathcal{R}_{II} └ \mathcal{E}_I & \mathcal{E}_{II}

- The system is separated according to parity.

- type I: \mathcal{R}_I & \mathcal{E}_I couple through V_I

- type II: \mathcal{R}_{II} & \mathcal{E}_{II} couple through V_{II}

3. EoMs

$$\left(-\frac{d^2}{dt^2} + \frac{d^2}{dr^{*2}} - fV_{I/II}(r) \right) \begin{pmatrix} \mathcal{R}_{I/II}(l, m; t, r) \\ \mathcal{E}_{I/II}(l, m; t, r) \end{pmatrix} = 0$$

r^* : tortoise coordinate

2x2 matrix

elemag perturbation
(in terms of δF^a)

Contents

✓ 1. Introduction

- Quasinormal modes of black holes
- Nonlinear electrodynamics

✓ 2. Black holes in nonlinear electrodynamics

- Black hole solutions
- Perturbations of black holes

3. Quasinormal modes of black holes in nonlinear electrodynamics

- Definition
- Calculation results

4. Summary

Quasinormal Modes – Definition

- EoMs of metric/elemag perturbations (Fourier transformed: $\partial_t \rightarrow -i\omega$)


$$\left(-\frac{d^2}{dr^{*2}} + fV_{\text{I/II}}(r) \right) \begin{pmatrix} \mathcal{R}_{\text{I/II}} \\ \mathcal{E}_{\text{I/II}} \end{pmatrix} = \omega^2 \begin{pmatrix} \mathcal{R}_{\text{I/II}} \\ \mathcal{E}_{\text{I/II}} \end{pmatrix}$$

metric perturbation
elemag perturbation

2x2 matrix

QNMs are eigenmodes.

- Boundary conditions



→ Eigenfrequencies, ω 's, form a discrete spectrum.

- ω 's are complex → damping oscillations

Quasinormal Modes – Results

$$\left(\frac{d^2}{dr^{*2}} + \omega^2 - fV_{\text{I/II}}(r) \right) \begin{pmatrix} \mathcal{R}_{\text{I/II}} \\ \mathcal{E}_{\text{I/II}} \end{pmatrix} = 0$$

The system is separated into **I & II** according to parity.

In each of **I & II**, two families of QNM

- I**
- QNM 1: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
 - QNM 2: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
- II**
- QNM 1: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
 - QNM 2: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes


Quasinormal Modes – Results

$$\left(\frac{d^2}{dr^{*2}} + \omega^2 - fV_{\text{I/II}}(r) \right) \begin{pmatrix} \mathcal{R}_{\text{I/II}} \\ \mathcal{E}_{\text{I/II}} \end{pmatrix} = 0$$

The system is separated into **I & II** according to parity.

In each of **I & II**, two families of QNM

- I**
- QNM 1: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
 - QNM 2: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
- II**
- QNM 1: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
 - QNM 2: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes



$$\mathcal{L} = \frac{R}{16\pi G} - \mathcal{F} + \alpha \mathcal{F}^2 + \beta \mathcal{G}^2$$

dimensionless parameters

$$\bar{\alpha} := \frac{\alpha q^2}{(GM)^4}, \quad \bar{\beta} := \frac{\beta q^2}{(GM)^4}$$


Quasinormal Modes – Results

$$\left(\frac{d^2}{dr^{*2}} + \omega^2 - fV_{\text{I/II}}(r) \right) \begin{pmatrix} \mathcal{R}_{\text{I/II}} \\ \mathcal{E}_{\text{I/II}} \end{pmatrix} = 0$$

The system is separated into **I & II** according to parity.

In each of **I & II**, two families of QNM

- I**
- QNM 1: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
 - QNM 2: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
- II**
- QNM 1: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
 - QNM 2: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes



$$\mathcal{L} = \frac{R}{16\pi G} - \mathcal{F} + \alpha \mathcal{F}^2 + \beta \mathcal{G}^2$$

dimensionless parameters

$$\bar{\alpha} := \frac{\alpha q^2}{(GM)^4}, \quad \bar{\beta} := \frac{\beta q^2}{(GM)^4}$$


Quasinormal Modes – Results

$$\left(\frac{d^2}{dr^{*2}} + \omega^2 - fV_{\text{I/II}}(r) \right) \begin{pmatrix} \mathcal{R}_{\text{I/II}} \\ \mathcal{E}_{\text{I/II}} \end{pmatrix} = 0$$

The system is separated into **I & II** according to parity.


In each of **I & II**, two families of QNM

- I**
- QNM 1: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
 - QNM 2: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
- II**
- QNM 1: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes
 - QNM 2: $l = 2, l = 3, \dots$
 - Fundamental mode
 - Overtone modes




- In the case of $(\bar{\alpha}, \bar{\beta}) = (0, 0)$, QNMs of **I** and **II** agree: *isospectrality*
- Nonlinear electrodynamics (nonzero α or β) violate isospectrality.


Quasinormal Modes – Results



Quasinormal Modes – Results



Quasinormal Modes – Results



Summary

- Calculate QNMs of charged BHs in **GR + nonlinear electrodynamics**.

$$\mathcal{L} = \frac{R}{16\pi G} - \mathcal{F} + \alpha \mathcal{F}^2 + \beta \mathcal{G}^2$$

$$\mathcal{F} := \frac{1}{4} F_{\mu\nu} F^{\mu\nu}$$

$$\mathcal{G} := \frac{1}{8} \epsilon_{\mu\nu\rho\sigma} F^{\mu\nu} F^{\rho\sigma}$$

- Metric & electromagnetic perturbations become coupled, unlike Maxwell (i.e., linear) electrodynamics.
- Nonlinear electrodynamics (nonzero α or β) violates isospectrality.
- $\alpha > 0$, $\beta > 0$ (such as QED correction) act to reduce the oscillation frequency and enhance the damping rate.
 - QED's prediction in strong gravity
 - GW is modified regardless of whether the charge is the electromagnetic charge in the Standard Model sector or *a possible charge in a dark sector*.
 - ➔ GW as a tool to probe a dark sector

Backup

Charged BHs

No observations so far.

However, the possibility of existence has been discussed.

- Electric BH: leading to a balance of gravitational+electric potential for electrons and protons [Zajaček, Tursunov (2019)]
- Magnetic BH: production in the early universe(?) [Maldacena (2020)]

$$\frac{\gamma_2 R_{\mu\nu} F^{\mu\rho} F^\nu{}_\rho}{\alpha \mathcal{F}^2} \sim 32\pi \frac{G\gamma_2}{\alpha},$$

$$\frac{\gamma_3 R_{\mu\nu\rho\sigma} F^{\mu\nu} F^{\rho\sigma}}{\alpha \mathcal{F}^2} \sim -64\pi \frac{G\gamma_3}{\alpha} + 128\pi \left(\frac{GM}{Q}\right)^2 \frac{G\gamma_3}{\alpha}$$

Perturbations of BHs

- V_I & V_{II} : “effective potentials”

$$V_I = \begin{pmatrix} V_{I,11} & V_{I,12} \\ V_{I,21} & V_{I,22} \end{pmatrix}$$

$$V_{I,11} = \frac{l(l+1) + 3(f-1)}{r^2} + \frac{Q^2}{r^4} - \frac{\bar{\alpha}Q^2(GM)^4}{2r^8},$$

$$V_{I,12} = V_{I,21} = \frac{2\sqrt{(l+2)(l-1)}Q^2[1 - \bar{\alpha}(GM)^4/r^4]}{r^3},$$

$$V_{I,22} = \frac{l(l+1)}{r^2} \left(1 + \frac{2\bar{\beta}(GM)^4/r^4}{1 - \bar{\alpha}(GM)^4/r^4} \right)^{-1} + \dots$$

$$V_{II} = \begin{pmatrix} V_{II,11} & V_{II,12} \\ V_{II,21} & V_{II,22} \end{pmatrix}$$

$$V_{II,11} = -\frac{1}{r^2} \left(f + l(l+1) - 3 + \frac{Q^2}{r^2} - \frac{\bar{\alpha}Q^2(GM)^4}{2r^6} \right) + \dots,$$

$$V_{II,21} = V_{II,12} = \dots,$$

$$V_{II,22} = \dots$$

- dependence on α & β ← effects of nonlinear electrodynamics

$$\left(-\frac{d^2}{dt^2} + \frac{d^2}{dr^{*2}} - fV_{I/II}(r) \right) \begin{pmatrix} \mathcal{R}_{I/II}(l, m; t, r) \\ \mathcal{E}_{I/II}(l, m; t, r) \end{pmatrix} = 0$$

r^* : tortoise coordinate

2x2 matrix

elemag perturbation
(in terms of δF^a)

$$\left(\frac{d^2}{dr^{*2}} + \omega^2 - fV_{\text{I,II}} \right) \begin{pmatrix} \mathcal{R}_{\text{I,II}} \\ \mathcal{E}_{\text{I,II}} \end{pmatrix} = 0$$

$$V_{\text{I,11}} = \frac{l(l+1) + 3(f-1)}{r^2} + 8\pi G\mathcal{L},$$

$$V_{\text{I,12}} = V_{\text{I,21}} = \frac{\sqrt{16\pi Gq^2\mathcal{L}_{\mathcal{F}}(l+2)(l-1)}}{r^3},$$

$$V_{\text{I,22}} = \frac{l(l+1)}{r^2} \frac{1}{1 - q^2\mathcal{L}_{\mathcal{G}\mathcal{G}}/(r^4\mathcal{L}_{\mathcal{F}})} + \frac{16\pi Gq^2\mathcal{L}_{\mathcal{F}}}{r^4}$$

$$V_{\text{II,11}} = \frac{\zeta(r)}{r^2} - \frac{2(2\lambda - f + 1)}{r^2} + \frac{8\lambda(\lambda - f + 1)}{r^2\zeta(r)} + \frac{8\lambda^2 f}{r^2\zeta^2(r)} + \frac{64\pi Gfq^2\lambda\mathcal{L}_{\mathcal{F}}}{r^4\zeta^2(r)},$$

$$V_{\text{II,12}} = V_{\text{II,21}} = \sqrt{32\pi Gq^2\lambda\mathcal{L}_{\mathcal{F}}} \left[-\frac{1}{r^3} \left(1 - \frac{2(2\lambda - f + 2)}{\zeta(r)} - \frac{4\lambda f}{\zeta^2(r)} \right) + \frac{32\pi Gfq^2\mathcal{L}_{\mathcal{F}}}{r^5\zeta^2(r)} + \frac{2fq^2\mathcal{L}_{\mathcal{F}\mathcal{F}}}{r^7\zeta(r)\mathcal{L}_{\mathcal{F}}} \right],$$

$$V_{\text{II,22}} = \frac{2(\lambda + 1)}{r^2} - \frac{16\pi Gq^2\mathcal{L}_{\mathcal{F}}}{r^4} \left(1 - \frac{4(\lambda + 1)}{\zeta(r)} - \frac{4\lambda f}{\zeta^2(r)} \right) + \frac{512\pi^2 G^2 fq^4\mathcal{L}_{\mathcal{F}}^2}{r^6\zeta^2(r)} \\ - \frac{q^2\mathcal{L}_{\mathcal{F}\mathcal{F}}}{r^6\mathcal{L}_{\mathcal{F}}} [\zeta(r) - 3f - 4(\lambda + 1)] + \frac{64\pi Gfq^4\mathcal{L}_{\mathcal{F}\mathcal{F}}}{r^8\zeta(r)} + \frac{2fq^4\mathcal{L}_{\mathcal{F}\mathcal{F}\mathcal{F}}}{r^{10}\mathcal{L}_{\mathcal{F}}} - \frac{fq^4\mathcal{L}_{\mathcal{F}\mathcal{F}}^2}{r^{10}\mathcal{L}_{\mathcal{F}}^2},$$

$$\lambda := \frac{1}{2}(l+2)(l-1),$$

$$\zeta(r) := -3f + 2\lambda + 3 - 8\pi Gr^2\mathcal{L}.$$

$$\left(\frac{d^2}{dr^{*2}} + \omega^2 - fV_{\text{I,II}} \right) \begin{pmatrix} \mathcal{R}_{\text{I,II}} \\ \mathcal{E}_{\text{I,II}} \end{pmatrix} = 0$$

$$V_{\text{I,11}} = \frac{l(l+1) + 3(f-1)}{r^2} + \frac{Q^2}{r^4} - \frac{\bar{\alpha}Q^2(GM)^4}{2r^8},$$

$$V_{\text{I,12}} = V_{\text{I,21}} = \frac{2\sqrt{(l+2)(l-1)Q^2[1 - \bar{\alpha}(GM)^4/r^4]}}{r^3},$$

$$V_{\text{I,22}} = \frac{l(l+1)}{r^2} \left(1 + \frac{2\bar{\beta}(GM)^4/r^4}{1 - \bar{\alpha}(GM)^4/r^4} \right)^{-1} + \frac{4Q^2}{r^4} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right) \\ + \frac{2\bar{\alpha}(GM)^4}{r^6} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right)^{-1} \left(6f - 1 + \frac{Q^2}{r^2} - \frac{\bar{\alpha}Q^2(GM)^4}{2r^6} \right) + \frac{12\bar{\alpha}^2 f(GM)^8}{r^{10}} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right)^{-2},$$

$$V_{\text{II,11}} = \frac{\zeta(r)}{r^2} - \frac{2(2\lambda - f + 1)}{r^2} + \frac{8\lambda(\lambda - f + 1)}{r^2\zeta(r)} + \frac{8\lambda^2 f}{r^2\zeta^2(r)} + \frac{16\lambda f Q^2}{r^4\zeta^2(r)} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right),$$


$$V_{\text{II,12}} = V_{\text{II,21}} = \sqrt{8\lambda Q^2 \left[1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right]} \left\{ -\frac{1}{r^3} \left(1 - \frac{2(2\lambda - f + 2)}{\zeta(r)} - \frac{4\lambda f}{\zeta^2(r)} \right) + \frac{8fQ^2}{r^5\zeta^2(r)} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right) \right. \\ \left. - \frac{4\bar{\alpha}f(GM)^4}{r^7\zeta(r)} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right)^{-1} \right\},$$

$$V_{\text{II,22}} = \frac{2(\lambda + 1)}{r^2} - \frac{4Q^2}{r^4} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right) \left(1 - \frac{4(\lambda + 1)}{\zeta(r)} - \frac{4\lambda f}{\zeta^2(r)} \right) + \frac{32fQ^4}{r^6\zeta^2(r)} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right)^2 \\ + \frac{2\bar{\alpha}(GM)^4(\zeta(r) - 3f - 4(\lambda + 1))}{r^6} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right)^{-1} - \frac{32\bar{\alpha}fQ^2(GM)^4}{r^8\zeta(r)} - \frac{4\bar{\alpha}^2 f(GM)^8}{r^{10}} \left(1 - \frac{\bar{\alpha}(GM)^4}{r^4} \right)^{-2},$$

$$\lambda := \frac{1}{2}(l+2)(l-1),$$


$$\zeta(r) = -3f + 2\lambda + 3 - \frac{Q^2}{r^2} + \frac{\bar{\alpha}Q^2(GM)^4}{2r^6},$$

Effective potentials



QNM Calculation Method 1

$$\left(\frac{d^2}{dr^{*2}} + \omega^2 - fV \right) \psi = 0$$

2x2 matrix 

Method 1. Numerical integration: based on [Chaverra, Degollado, Moreno, Sarbach (2016)]

- **Idea:** we can construct 2x2 matrix-valued solutions satisfying boundary conditions as

Outgoing at infinity: $\psi_{+\infty}(\omega, r) = e^{+i\omega r^*} \lim_{N \rightarrow \infty} ((T_{+\infty, \omega})^N \mathbf{1})(r)$

operator on 2x2 matrices 

$$(T_{+\infty, \omega} \xi)(r) = \mathbf{1} - \frac{1}{2i\omega} \int dr' \left[1 - \exp \left(2i\omega \int_r^{r'} \frac{dr''}{f(r'')} \right) \right] V(r') \xi(r')$$

Ingoing at the horizon: $\psi_{-\infty}(\omega, r) = e^{-i\omega r^*} \lim_{N \rightarrow \infty} ((T_{-\infty, \omega})^N \mathbf{1})(r)$

operator on 2x2 matrices 


$$(T_{-\infty, \omega} \xi)(r) = \mathbf{1} + \frac{1}{2i\omega} \int dr' \left[1 - \exp \left(-2i\omega \int_r^{r'} \frac{dr''}{f(r'')} \right) \right] V(r') \xi(r')$$

To find eigenfrequencies (QNMs), we seek ω such that $\psi_{+\infty}$ & $\psi_{-\infty}$ are matched.

(= zeros of the Wronskian of $\psi_{+\infty}$ & $\psi_{-\infty}$)

QNM Calculation Method 2

$$\left(\frac{d^2}{dr^{*2}} + \omega^2 - fV \right) \vec{\psi} = 0$$

2x2 matrix 

Method 2. Continued fractions method: originally [Leaver (1985)]; matrix-valued version [Pani (2013)] etc.


- **Idea:** series ansatz suited for boundary conditions

$$\psi = \left(\frac{r}{2GM} \right)^{2GMi\omega} e^{i\omega r} [(r - r_h)/r]^{-i\omega/f'(r_h)} \sum_{n=0}^{\infty} \begin{pmatrix} a_n^{(1)} [(r - r_h)/r]^n \\ a_n^{(2)} [(r - r_h)/r]^n \end{pmatrix}$$


Inserting this ansatz into EoMs, we get recurrence relations for series coefficients $\begin{pmatrix} a_n^{(1)} \\ a_n^{(2)} \end{pmatrix}$.

By requiring that nontrivial $\vec{\psi}$ s exist, we can find eigenfrequencies (QNMs) *semi-analytically*.


- For simplicity, we take linear approximations in EFT parameters, α & β .



$l = 2, Z_2$



Quasinormal modes – Results

- Parametrize as $\omega = \omega_{\text{RN}} + \bar{\alpha}\kappa_{\alpha} + \bar{\beta}\kappa_{\beta}$.


Find $\kappa_{\alpha}, \kappa_{\beta}$ by fitting the calculation results.

$l = 2$	QNM 1					QNM 2				
		type I		type II			type I		type II	
Q/GM	$\omega_{\text{RN}}GM$	$\kappa_{\alpha}GM$	$\kappa_{\beta}GM$	$\kappa_{\alpha}GM$	$\kappa_{\beta}GM$	$\omega_{\text{RN}}GM$	$\kappa_{\alpha}GM$	$\kappa_{\beta}GM$	$\kappa_{\alpha}GM$	$\kappa_{\beta}GM$
0	-0.45760 -0.09500i	–	–	–	–	-0.37367 -0.08896i	–	–	–	–
0.2	-0.46297 -0.09537i	-0.00068 -0.00060i	0.00660 -0.00058i	0.00735 -0.00001i	0 +0i	-0.37474 -0.08907i	-0.00003 -0.00001i	0.00011 -0.00003i	0.00012 -0.00001i	0 +0i
0.4	-0.47993 -0.09644i	-0.00061 -0.00068i	0.00727 -0.00061i	0.00819 -0.00010i	0 +0i	-0.37844 -0.08940i	-0.00012 -0.00003i	0.00043 -0.00014i	0.00046 -0.00003i	0 +0i
0.6	-0.51201 -0.09802i	-0.00041 -0.00091i	0.00896 -0.00073i	0.01032 -0.00035i	0 +0i	-0.38622 -0.08981i	-0.00030 -0.00008i	0.00101 -0.00039i	0.00111 -0.00014i	0 +0i
0.8	-0.57013 -0.09907i	0.00036 -0.00168i	0.01363 -0.00119i	0.01637 -0.00135i	0 +0i	-0.40122 -0.08964i	-0.00072 -0.00019i	0.00220 -0.00113i	0.00249 -0.00061i	0 +0i
0.9	-0.61940 -0.09758i	0.00180 -0.00314i	0.01980 -0.00208i	0.02469 -0.00349i	0 +0i	-0.41357 -0.08833i	-0.00130 -0.00032i	0.00340 -0.00226i	0.00391 -0.00156i	0 +0i

Black holes without singularity

$$\mathcal{L}(\mathcal{F}) = \frac{3}{2sg^2} \left(\frac{\sqrt{2g^2\mathcal{F}}}{1 + \sqrt{2g^2\mathcal{F}}} \right)^{5/2}$$

$$\mathcal{F} := \frac{1}{4} F_{\mu\nu} F^{\mu\nu} = \frac{1}{2} (\mathbf{B}^2 - \mathbf{E}^2),$$

$$\rightarrow ds^2 = -f(r)dt^2 + \frac{1}{f(r)}dr^2 + r^2 d\Omega^2 \quad f(r) = 1 - \frac{2mr^2}{(r^2 + g^2)^{3/2}}$$

does not have the expansion in \mathcal{F}

$$f(r) \xrightarrow{r \rightarrow \infty} 1 - \frac{2m}{r} : \text{Schwarzschild-like}$$

$$f(r) \xrightarrow{r \rightarrow 0} 1 - \frac{2m}{g^3} r^2 : \text{de Sitter-like}$$